## 25 Easy Pieces in MATHSTAT

- Write the expectation of a random variable (r.v.) Z, E(Z), extensively

   a) for a discrete random variable
   b) for a continuous random variable
- 2. Var(Z) can be written as E(Y). What is Y?
- 3. Write Var(Z) extensively
  a) for a discrete random variable
  b) for a continuous random variable
- 4. What does the cumulative density function or cumulative distribution function (c.d.f.) tell you?  $F_X(x) =$
- 5. X is a continuous r.v.. How are the c.d.f.  $F_X(x)$  and the density function (d.f.)  $f_X(x)$  related?
- 6. Cov(X, Y) can be written as E(Z). What is Z?
- 7. Write Cov(X, Y) extensively for X and Y
  a) as discrete r.v.s.
  b) as continuous r.v.s.
- 8. Express  $E_{XY}(XY)$  as a function of Cov(X,Y)
- 9. Write E<sub>XY</sub>(XY) extensively for X and Y
  a) as discrete r.v.s.
  b) as continuous r.v.s.
- 10. g(X) denotes a measurable function of the r.v. X (like e.g.  $X^2$ , ln(X)). Write extensively E(g(X)) for the continuous r.v. X
- 11. X and Y are cont. r.v.s.. Z = g(X, Y) is a measurable function. Write extensively E(g(X, Y))
- 12. X and Y are cont. r.v.s.. What does the joint c.d.f.  $F_{XY}(x, y)$  tell you? Write the c.d.f. extensively. What does the joint p.d.f.  $f_{XY}(x, y)$  tell you? (discrete case)
- 13. How are  $F_{XY}(x, y)$  and  $f_{XY}(x, y)$  (joint density) related? (X and Y are cont. r.v.s.)
- 14. If X and Y are independent:  $F_{XY}(x, y) = f_{XY}(x, y) =$
- 15. If X and Y are independent:  $E_{XY}(X \cdot Y) =$ Cov(X, Y) =

- 16. If X and Y are independent:  $E_{XY}(h(X) * g(Y)) =$
- 17.  $E_{XY}(X+Y) =$  $E_{XYZ}(X+Y+Z) =$ Var(X+Y) =
- 18. Write extensively for X and Y as discrete r.v.s. and X and Y as continuous r.v.s.  $f_{X} = (X|Y - x)$

$$\begin{split} f_{X|Y}(X|Y=y) \\ E_{X|Y}(X|Y=y) \\ E_{X|Y}(X^2|Y=y) \end{split}$$

19. E(aX) =Var(aX) =(a is a nonrandom scalar)

20. For 
$$\underline{X} = (X_1, X_2, \dots, X_n)'$$
  
 $E(\underline{X}) = \mu, \mu = ?$   
 $Var(\underline{X}) = \Sigma, \Sigma = ?$   
 $A = \begin{bmatrix} a_{11} & a_{12} & \dots & a_n \\ \vdots & \vdots & & \vdots \\ a_{m1} & a_{m2} & \dots & a_{mn} \end{bmatrix}$   
(A is a nonrandom matrix)

$$\frac{\underline{Z} = A * \underline{X}}{E(\underline{Z})} = Var(\underline{Z}) =$$

- 21. 
  $$\begin{split} Y &= a + b * X \\ E(Y) &= \\ E(Y|X=x) = \end{split}$$
- 22. Given joint density f<sub>XY</sub>(x, y). How do you get f<sub>X</sub>(x) and f<sub>Y</sub>(y)?
  a) as discrete r.v.s.
  b) as continuous r.v.s.
- 23. Under which circumstances can you get  $f_{XY}(x, y)$  from  $f_X(x)$  and  $f_Y(y)$ ?
- 24. X and Y are jointly normally distributed  $\begin{pmatrix}
  X \\
  Y
  \end{pmatrix} \sim BVN(\mu_X, \mu_Y, \sigma_X^2, \sigma_Y^2, \rho_{XY}).$ What is the relation of parameters and moments?  $X \sim$   $Y \sim$  X|(Y = y) Y|(X = x) E(X|Y = y) =Var(X|Y = y) =

25. X, Y and Z are normally distributed.  $W = a * X + b * Y + c * Z \sim$ How is W distributed?