



Press Releases

Dr. Karl Guido Rijkhoek
Director

Antje Karbe
Press Officer

Phone +49 7071 29-76788
+49 7071 29-76789

Fax +49 7071 29-5566
karl.rijkhoek[at]uni-tuebingen.de
antje.karbe[at]uni-tuebingen.de

www.uni-tuebingen.de/aktuell

What 300,000 year old eggshells reveal about the environment of the Paleolithic

The nesting site of whooper swans on the banks of a former lake in Schoningen

Tübingen, 31.03.2015

In the 1990s the discovery of the oldest man made and completely preserved wooden hunting weapons made the Paleolithic excavation site in Schoningen internationally renowned. Contained within the 300,000 year-old deposits on a former lake shore in what is now Lower Saxony organic materials remain excellently preserved, including eggshells that Dr. Jordi Serangeli and Professor Nicholas Conard of the University of Tübingen, together with colleagues from the Martin Luther University Halle-Wittenberg and the Lower Saxony State Service for Cultural Heritage (NLD) were able to identify as eggshell remains from various species of birds. This represents an exceptionally rare category of finds and with the systematic evaluation of these eggshells, the researchers expect within the next years to achieve significant contributions to the re-construction of the climatic conditions during this inter glacial period as well as new insights into the behavior of migratory birds and the human diet 300,000 years ago.

The finds are few centimeters width and less than a millimeter thick. They were recovered during the actual fine excavations and the sorting of the residual finds, and have been compared with the eggs of today's European birds in the Natural History Museum in Braunschweig and in the University of Halle-Wittenberg. Based upon the thickness, the curvature and the surface texture of the eggshells as well as the distance between and the shape of the pores allowed us to define five excellently preserved fragments: One showed similarity with the eggshell of the crane (*Grus grus*), a further fragment a duck (probably Mallard, *Anas platyrhynchos*). Three other fragments show similarities with the eggs of modern day whooper swans (*Cygnus cygnus*). These birds today breed, as a rule in sub-arctic-temperate areas such as Iceland, Scandinavia and Siberia. This landscape is characterized by low vegetation, the temperature being a few degrees lower than in Central Europe.

The eggshells also raise the question whether in addition to horsemeat eggs could have played a role in the human diet between March and the end of May as an important food source for the people in the spring. This could also be another reason why the hunters and gatherers sought out the lakeshore.

Contact:

Professor Nicholas J. Conard Ph.D.
University of Tübingen
Institut für Ur- und Frühgeschichte und Archäologie des Mittelalters
Phone: +49 7071 29-72416
E-Mail: nicholas.conard@uni-tuebingen.de

Dr. Jordi Serangeli (scientific director of the excavation)
University of Tübingen
c/o paläon GmbH - Forschungs- und Erlebniszentrum Schöninger Speere
Paläon 1
38364 Schöningen
Phone: +49 178 9219630
E-Mail: jordi.serangeli@uni-tuebingen.de

Professor Dr. Thomas Terberger
Niedersächsisches Landesamt für Denkmalpflege
Scharnhorststraße 1
30175 Hannover
Phone: +49 511 9255208
E-Mail: thomas.terberger@nld.niedersachsen.de

Dr. Frank D. Steinheimer
Martin Luther University Halle-Wittenberg
Zentralmagazin Naturwissenschaftliche Sammlungen
Domplatz 4
06108 Halle (Saale)
Phone: +49 345 55 21437
E-Mail: Frank.Steinheimer@zns.uni-halle.de

Dr. Florian Westphal (Geschäftsführer der paläon)
paläon GmbH - Forschungs- und Erlebniszentrum Schöninger Speere
Paläon 1
38364 Schöningen
Phone: +49 5352 96914
E-Mail: westphal@palaeon.de



Photo: 01. Sediment layers showing the four silting horizons (Schöningen 13 II-1, Schöningen 13 II-2, Schöningen 13 II-3, Schöningen 13 II-4).

Photo: Jordi Serangeli



Photo: 02. Fragments of a 300,000 year old eggshell from a whooper swan (*Cygnus cygnus*) set in a sediment block

Photo: Volker Minkus



Photo: 03. Fragments of a 300,000 year old eggshell from a whooper swan (*Cygnus cygnus*) set in a sediment block. Detail.

Photo: Volker Minkus



Photo: 04. Fragment of a 300,000 year old eggshell from a whooper swan on top of an intact modern day egg belonging to this species

Photo: Jordi Serangeli



Photo: 05. Neil Haycock water screening residual sediments in Schöningen.

Photo: Jordi Serangeli



Photo: 06. Eggshell fragments recovered during the water screening of sediments from the excavation in Schöningen.

Photo: Jordi Serangeli