

## **Publications: Schnitzler HU bis 2000**

Koch M, Schmid A, Schnitzler HU (2000) Role of muscles accumbens dopamine D1 and D2 receptors in instrumental and Pavlovian paradigms of conditioned reward. *Psychopharmacology* 152:67-73

Müller R, Schnitzler HU (2000) Acoustic flow perception in cf-bats: extraction of parameters. *J Acoust Soc Am* 108:1298-1307

Plappert CF, Pilz PKD, Schnitzler HU (2000) Sensitization of the acoustic startle response in mice differs between two inbred strains and is influenced by glycine. *Eur J Neurosci* 12:172

Siemers BM, Schnitzler HU (2000) Natterer's bat (*Myotis nattereri* Kuhl, 1818) hawks for prey close to vegetation using echolocation signals of very broad bandwidth. *Behav Ecol Sociobiol* 47:400-412

Kalko EKV, Friemel D, Handley CO, Schnitzler HU (1999) Roosting and foraging behavior of two Neotropical gleaning bats, *Tonatia silvicola* and *Trachops cirrhosus* (Phyllostomidae). *Biotropica* 31:344-353

Koch M, Klarner A, Schnitzler HU (1999) Lesions of the rat piriform cortex prevent long-lasting sensorimotor gating deficits induced by stimulation of the ventral hippocampus. *Neuroscience Lett* 275:195-198

Müller R, Schnitzler HU (1999) Acoustic flow perception in cf-bats: properties of the available cues. *J Acoust Soc Am* 105:2958-2966

Plappert CF, Pilz PK, Schnitzler HU (1999) Interaction between acoustic and electric sensitization of the acoustic startle response in rats. *Behav Brain Res* 103:195-201

Siemers BM, Kaipf I, Schnitzler HU (1999) The use of day roosts and foraging grounds by Natterer's bats (*Myotis nattereri* Kuhl, 1818) from a colony in southern Germany. *Z Säugetierkd* 64:241-245

Denzinger A, Schnitzler HU (1998) Echo SPL, training experience, and experimental procedure influence the ranging performance in the big brown bat, *Eptesicus fuscus*. *J Comp Physiol, A* 183:213-224

Heitmann J, Waldmann B, Schnitzler HU, Plinkert PK, Zenner HP (1998) Suppression of distortion product otoacoustic emissions (DPOAE) near 2f(1)-f(2) removes DP-gram fine structure - Evidence for a secondary generator. *J Acoust Soc Am* 103:1527-1531

Kalko EKV, Schnitzler HU, Kaipf I, Grinnell AD (1998) Echolocation and foraging behavior of the lesser bulldog bat, *Noctilio albiventris* : preadaptations for piscivory? *Behav Ecol Sociobiol* 42:305-319

Klarner A, Koch M, Schnitzler HU (1998) Induction of Fos-protein in the forebrain and disruption of sensorimotor gating following N-methyl-D-aspartate infusion into the ventral hippocampus of the rat. *Neuroscience* 84:443-452

Koch M, Pilz PK, Schnitzler HU (1998) Mechanismen sensorimotorischer Integration bei Säugetieren: Die Schreckreaktion der Ratte als Modell. *Neuroforum* 4:260-266

Thies W, Kalko EKV, Schnitzler HU (1998) The roles of echolocation and olfaction in two Neotropical fruit-eating bats, *Carollia perspicillata* and *C. castanea*, feeding on Piper. *Behav Ecol Sociobiol* 42:397-409

Wittmann M, Wagner T, Schnitzler HU (1998) Synaptic plasticity at the sensorimotor interface of the acoustic startle response in rat. *Eur J Neurosci* 10:363

Fendt M, Koch M, Schnitzler HU (1997) Corticotropin-releasing factor in the caudal pontine reticular nucleus mediates the expression of fear-potentiated startle in the rat. *Eur J Neurosci* 9:299-305

Koch M, Schnitzler HU (1997) The acoustic startle response in rats - circuits mediating evocation, inhibition and potentiation. *Behav Brain Res* 89:35-49

Pilz PK, Ostwald J, Kreiter A, Schnitzler HU (1997) Effect of the middle ear reflex on sound transmission to the inner ear of rat. *Hear Res* 105:171-182

Tian B, Schnitzler HU (1997) Echolocation signals of the greater horseshoe bat (*Rhinolophus ferrumequinum*) in transfer flight and during landing. *J Acoust Soc Am* 101:2347-2364

Fendt M, Koch M, Schnitzler HU (1996) Lesions of the central gray block conditioned fear as measured with the potentiated startle paradigm. *Behav Brain Res* 74:127-134

Fendt M, Koch M, Schnitzler HU (1996) Somatostatin in the pontine reticular formation modulates fear potentiation of the acoustic startle response: an anatomical, electrophysiological, and behavioral study. *J Neurosci* 16:3097-3103

Fendt M, Koch M, Schnitzler HU (1996) NMDA receptors in the pontine brainstem are necessary for fear potentiation of the startle response. *Eur J Pharmacol* 318:1-6

Koch M, Schmid A, Schnitzler HU (1996) Pleasure-attenuation of startle is disrupted by lesions of the nucleus accumbens. *Neuroreport* 7:1442-1446

Pilz PK, Schnitzler HU (1996) Habituation and sensitization of the acoustic startle response in rats: amplitude, threshold, and latency measures. *Neurobiol Learn Mem* 66:67-79

Schanbacher A, Koch M, Pilz PK, Schnitzler HU (1996) Lesions of the amygdala do not affect the enhancement of the acoustic startle response by background noise. *Physiol Behav* 60:1341-1346

Schnitzler HU (1996) Laudatio anlässlich der Verleihung des Wissenschaftspreises der Deutschen Zoologischen Gesellschaft am 29.05.1996 in Oldenburg. *Ver Dtsch Zool Ges* 89:3-5

Fendt M, Koch M, Kungel M, Schnitzler HU (1995) Cholecystokinin enhances the acoustic startle response in rats. *Neuroreport* 6:2081-2084

Schmid A, Koch M, Schnitzler HU (1995) Conditioned pleasure attenuates the startle response in rats. *Neurobiol Learn Mem* 64:1-3

Denzinger A, Schnitzler HU (1994) Echo SPL influences the ranging performance of the big brown bat, *Eptesicus fuscus*. *J Comp Physiol, A* 175:563-571

Fendt M, Koch M, Schnitzler HU (1994) Amygdaloid noradrenaline is involved in the sensitization of the acoustic startle response in rats. *Pharmacol Biochem Behav* 48:307-314

Fendt M, Koch M, Schnitzler HU (1994) Lesions of the central gray block the sensitization of the acoustic startle response in rats. *Brain Res* 661:163-173

Fendt M, Koch M, Schnitzler HU (1994) Sensorimotor gating deficit after lesions of the superior colliculus. *Neuroreport* 5:1725-1728

Krase W, Koch M, Schnitzler HU (1994) Substance P is involved in the sensitization of the acoustic startle response by footshocks in rats. *Behav Brain Res* 63:81-88

Schnitzler HU, Kalko EKV, Kaipf I, Grinnell AD (1994) Fishing and echolocation behavior of the greater bulldog bat, *Noctilio leporinus*, in the field. *Behav Ecol Sociobiol* 35:327-345

Kalko EKV, Schnitzler HU (1993) Plasticity in echolocation signals of European pipistrelle bats in search flight: implications for habitat use and prey detection. *Behav Ecol Sociobiol* 33:415-428

Krase W, Koch M, Schnitzler HU (1993) Glutamate antagonists in the reticular formation reduce the acoustic startle response. *Neuroreport* 4:13-16

Mogdans J, Schnitzler HU, Ostwald J (1993) Discrimination of two-wavefront echoes by the big brown bat, *Eptesicus fuscus*: behavioral experiments and receiver simulations. *J Comp Physiol, A* 172:309-323

Plappert CF, Pilz PK, Schnitzler HU (1993) Acoustic startle response and habituation in freezing and nonfreezing rats. *Behav Neurosci* 107:981-987

Denzinger A, Schnitzler HU (1990) The echo SPL is an important cue for range determination in the FM-bat *Eptesicus fuscus*. *Bat Research News* 31:38-39

Emde Gvd, Schnitzler HU (1990) Classification of insects by echolocating greater horseshoe bats. *J Comp Physiol, A* 167:423-430

Kober R, Schnitzler HU (1990) Information in sonar echoes of fluttering insects available for echolocating bats. *J Acoust Soc Am* 87:882-896

- Kolb KH, Schnitzler HU (1990) Zum Beutefangverhalten des Rauhfußkauzes (*Aegolius funereus*) bei Licht und bei Dunkelheit. *Vogel und Umwelt* 6:5-8
- Mogdans J, Schnitzler HU (1990) Range resolution and the possible use of spectral information in the echolocating bat, *Eptesicus fuscus*. *J Acoust Soc Am* 88:754-757
- Johnen M, Schnitzler HU (1989) Effects of a change in tone frequency on the habituated orienting response of the sleeping rat. *Psychophysiology* 26:343-351
- Kalko EKV, Schnitzler HU (1989) The echolocation and hunting behavior of Daubenton's bat, *Myotis daubentoni*. *Behav Ecol Sociobiol* 24:225-238
- Kalko EKV, Schnitzler HU (1989) Two-wave-front interference patterns in frequency-modulated echolocation signals of bats flying low over water (43.20.Fn, 43.80.Jz). *J Acoust Soc Am* 85:961-962
- Menne D, Kaipf I, Wagner I, Ostwald J, Schnitzler HU (1989) Range estimation by echolocation in the bat *Eptesicus fuscus*: trading of phase versus time cues. *J Acoust Soc Am* 85:2642-2650
- Moss CF, Schnitzler HU (1989) Accuracy of target ranging in echolocating bats: acoustic information processing. *J Comp Physiol,A* 165:383-393
- Mogdans J, Ostwald J, Schnitzler HU (1988) The role of pinna movement for the localization of vertical and horizontal wire obstacles in the greater horseshoe bat, *Rhinolophus ferrumequinum*. *J Acoust Soc Am* 84:1676-1679
- Pilz PK, Schnitzler HU, Menne D (1987) Acoustic startle threshold of the albino rat (*Rattus norvegicus*). *J Comp Psychol* 101:67-72
- Rockstroh B, Johnen M, Elbert T, Lutzenberger W, Birbaumer N, Rudolph K, Ostwald J, Schnitzler HU (1987) The pattern and habituation of the orienting response in man and rats. *Int J Neurosci* 37:169-182
- Schnitzler HU, Kalko E, Miller L, Surlykke A (1987) The echolocation and hunting behavior of the bat, *Pipistrellus kuhli*. *J Comp Physiol,A* 161:267-274
- Emde Gvd, Schnitzler HU (1986) Fluttering target detection in hipposiderid bats. *J Comp Physiol,A* 159:765-772
- Schnitzler HU, Hackbarth H, Heilmann U, Herbert H (1985) Echolocation behavior of rufous horseshoe bats hunting for insects in the flycatcher-style. *J Comp Physiol,A* 157:39-46
- Schnitzler HU, Flieger E (1983) Detection of oscillating target movements by echolocation in the greater horseshoe bat. *J Comp Physiol,A* 153:385-391
- Trappe M, Schnitzler HU (1982) Doppler-shift compensation in insect-catching horseshoe bats. *Naturwissenschaften* 69:193-194
- Kaltwasser MT, Schnitzler HU (1981) Echolocation signals confirmed in rats. *Z Säugetierkd* 46:394-395
- Nürnberg F, Bergmann HH, Menne D, Schnitzler HU (1980) Einfacher Frequenz-Spannungswandler für die schnelle Analyse tonaler Signale. *Bonn zool Beitr* 31:
- Gustafson Y, Schnitzler HU (1979) Echolocation and obstacle avoidance in the hipposiderid bat, *Asellia tridens*. *J Comp Physiol,A* 131:161-167
- Schnitzler HU (1979) Die Ortungsleistungen der Fledermäuse und ihre hörphysiologischen Grundlagen. *Physikalische Blätter* 35:640-641
- Schnitzler HU (1978) Die Detektion von Bewegungen durch Echoortung bei Fledermäusen. *Ver Dtsch Zool Ges* 1978:16-33
- Grinnell AD, Schnitzler HU (1977) Directional sensitivity of echolocation in the horseshoe bat, *Rhinolophus ferrumequinum*. II. Behavioral directionality of hearing. *J Comp Physiol* 116:63-76
- Schnitzler HU, Grinnell AD (1977) Directional sensitivity of echolocation in the horseshoe bat, *Rhinolophus ferrumequinum*. I. Directionality of sound emission. *J Comp Physiol,A* 116:51-61
- Schnitzler HU, Grinnell AD (1976) Die Richtwirkung der Echoortung bei der Großen Hufeisennase. *Ver Dtsch Zool Ges* 1976:269

- Schnitzler HU, Suga N, Simmons JA (1976) Peripheral auditory tuning for fine frequency analysis by the CF-FM Bat, *Rhinolophus ferrumequinum*. III. Cochlear microphonics and auditory nerve responses. *J Comp Physiol*, A 106:99-110
- Long GR, Schnitzler HU (1975) Behavioral audiograms from the bat, *Rhinolophus ferrumequinum*. *J Comp Physiol* 100:211-219
- Machmerth H, Theib D, Schnitzler HU (1975) Konstruktion eines Ultraschallgebers mit konstantem Frequenzgang im Bereich von 15 kHz bis 130 kHz. *Acustica* 34:81-85
- Schuller G, Beuter K, Schnitzler HU (1974) Response to frequency shifted artificial echoes in the bat *Rhinolophus ferrumequinum*. *J Comp Physiol* 89:275-286
- Flieger E, Schnitzler HU (1973) Ortungsleistungen der Fledermaus *Rhinolophus ferrumequinum* bei ein- und beidseitiger Ohrverstopfung. *J Comp Physiol* 82:93-102
- Schnitzler HU (1973) Control of Doppler shift compensation in the greater horseshoe bat, *Rhinolophus ferrumequinum*. *J Comp Physiol* 82:79-92
- Schnitzler HU (1973) Die Echoortung der Fledermäuse und ihre hörphysiologischen Grundlagen. *Fortschr Zool* 21:136-189
- Schnitzler HU (1972) Windkanalversuche zur Abhängigkeit der Fluggeschwindigkeit einer Weißscheitelammer (*Zonotrichia leucophrys*) von der Windgeschwindigkeit. *J Ornith* 113:21-28
- Neuweiler G, Schuller G, Schnitzler HU (1971) On- and off-responses in the inferior colliculus of the greater horseshoe bat to pure tones. *Z vgl Physiol* 74:57-63
- Schnitzler HU, Schuller G, Neuweiler G (1971) Antworten des Colliculus inferior der Fledermaus *Rhinolophus euryale* auf tonale Reizung. *Naturwissenschaften* 58:627-628
- Schnitzler HU (1971) Fledermäuse im Windkanal. *Z vgl Physiol* 73:209-221
- Schuller G, Neuweiler G, Schnitzler HU (1971) Collicular responses to the frequency modulated final part of echolocation sounds in *Rhinolophus ferrum equinum*. *Z vgl Physiol* 74:153-155
- Schnitzler HU (1970) Echoortung bei der Fledermaus *Chilonycteris rubiginosa*. *Z vgl Physiol* 68:25-38
- Schnitzler HU (1970) Comparison of the echolocating behavior in *Rhinolophus ferrum-equinum* and *Chilonycteris rubiginosa*. *Bijdr Dierk* 40:77-80
- Schnitzler HU (1968) Die Ultraschall-Ortungslaute der Hufeisen-Fledermäuse (*Chiroptera-Rhinolophidae*) in verschiedenen Orientierungs-Situationen. *Z vgl Physiol* 57:376-408
- Schnitzler HU (1967) Kompensation von Dopplereffekten bei Hufeisen-Fledermäusen. *Naturwissenschaften* 54:523-524

### **Bücher und Buchkapitel**

- Denzinger, A., Tschapka, M., Kalko E.K.V., Grinnell, A.D., and Schnitzler H.-U. (2016) Guild structure and niche differentiation in echolocating bats. *In* *Bat Bioacoustics*, Springer Handbook of Auditory Research. *Edited by* B.M. Fenton, A.D. Grinnell, A.N. Popper and R.R. Fay. Springer, New York. pp 141-166.
- Schnitzler HU, Denzinger A (2011) „Ehrlichkeit“ in der akustischen Kommunikation bei Tieren. *In*: Klosinski G (ed) *Tarnen, Täuschen, Lügen*. Narr Francke Attempto Verlag, Tübingen, pp 205-211
- Schnitzler H-U, Denzinger A (2009) Neuroethology of biosonar systems in bats. *In*: Binder MD, Hirokawa N, Windhorst U (eds) *Encyclopedia of Neuroscience*, Part 14, Springer Verlag, Heidelberg, pp 2654-2661
- Schnitzler HU, Denzinger A (2008) Die Stimmen der Natur. *In*: Geissner HK (ed) *Das Phänomen Stimme: Natürliche Veranlagung und kulturelle Formung*. Röhrig Universitätsverlag, St. Ingbert, pp 33 -41

- Schnitzler HU (2006) Das Singen der Vögel. In: Das Phänomen Stimme: Imitation und Identität (ed Thomas Kopfermann) Röhrig Universitätsverlag, St. Ingbert, pp 33-41
- Denzinger A, Schnitzler HU (2004) Perceptual tasks in echolocating bats. In: Ilg UJ, Bülthoff HH, Mallot HA (eds) Dynamic Perception. Akademische Verlagsgesellschaft, Berlin, pp 33-38
- Schnitzler HU, Kalko EKV, Denzinger A (2004) Evolution of echolocation and foraging behavior in bats. In: Thomas J, Moss CF, Vater M (eds) Echolocation in bats and dolphins. University of Chicago Press, Chicago, pp 331-339
- Müller R, Schnitzler HU (2001) Computational assessment of an acoustic flow hypothesis for cf-bats. In: Greenberg M, Slaney M (eds) Computational models of auditory function., pp 141-150
- Kalko EKV, Schnitzler HU (1998) How Echolocating Bats Approach and Acquire Food. In: Kunz TH, Racey PA (eds) Bat Biology and Conservation. Smithsonian Institution Press, Washington, pp 197-204
- Schnitzler HU, Kalko EKV (1998) How Echolocating Bats Search and Find Food. In: Kunz TH, Racey PA (eds) Bat Biology and Conservation. Smithsonian Institution Press, Washington, pp 183-196
- Schnitzler HU, Moss CF (1998) Echolocation in bats: An introduction. In: Kunz TH, Racey PA (eds) Bat Biology and Conservation. Smithsonian Institution Press, Washington, pp 181-182
- Moss CF, Schnitzler HU (1995) Behavioral studies of auditory information processing. In: Popper AN, Fay RR (eds) Hearing by Bats. Springer, New York, pp 87-145
- Schnitzler HU, Herbert H, Kaltwasser MT, Ostwald J, Pilz PKD (1989) Neuroethology of the startle response in rats. In: Erber J, Menzel R, Pflüger HJ, Todt D (eds) Mechanisms of Behavior. Thieme-Verlag, Stuttgart
- Ostwald J, Schnitzler HU, Schuller G (1988) Target discrimination and target classification in echolocating bats. In: Nachtigall PE, Moore PWB (eds) Animal Sonar Processes and Performance. Plenum Press, New York, pp 413-434
- Schnitzler HU, Kalko E, Miller L, Surlykke A (1988) How the bat, *Pipistrellus kuhli*, hunts for insects. In: Nachtigall PE, Moore PWB (eds) Animal Sonar Processes and Performance. Plenum Press, New York, pp 619-624
- Schnitzler HU (1987) Echoes of fluttering insects: information for echolocating bats  
In: Fenton MB, Racey P, Rayner JMV (eds) Recent Advances in the Study of Bats. Cambridge University Press, Cambridge
- Schnitzler HU, Menne D, Hackbarth H (1985) Range Determination by Measuring Time Delays in Echolocating Bats. In: Michelsen A (eds) Time Resolution in Auditory Systems. Springer-Verlag, Berlin, pp 180-204
- Schnitzler HU (1984) The Performance of Bat Sonar Systems. In: Varjú D, Schnitzler HU (eds) Localization and Orientation in Biology and Engineering. Springer-Verlag, Berlin, pp 211-224
- Varjú D and Schnitzler HU. 1984. Localization and Orientation in Biology and Engineering. Berlin: Springer-Verlag.
- Schnitzler HU, Ostwald J (1983) Adaptation for the detection of fluttering insects by echolocation in horseshoe bats. In: Ewert JP, Capranica RR, Ingle DJ (eds) Advances in Vertebrate Neuroethology. Plenum Press, New York, pp 801-827
- Schnitzler HU, Menne D, Kober R, Hebllich K (1983) The acoustical image of fluttering insects in echolocating bats. In: Huber F, Markl H (eds) Neuroethology and Behavioral Physiology. Springer-Verlag, Berlin
- Henson OWJ, Schnitzler HU (1980) Performance of airborne bisonar systems: II Vertebrates other than Microchiroptera. In: Busnel RG, Fish JF (eds) Animal Sonar Systems. Plenum Press, New York, pp 183-195
- Schnitzler HU, Henson OWJ (1980) Performance of airborne animal sonar systems: I Microchiroptera. In: Busnel RG, Fish JF (eds) Animal Sonar Systems. Plenum Press, New York, pp 109-181

Simmons JA, Altes R, Beuter K, Bullock TH, Capranica RR, Goldstein JL, Griffin DR, Konishi M, Neff WD, Neuweiler G, Schnitzler HU, Schuller G, Sovijrivi A, Suga N (1977) Localization and identification of acoustic signals with reference to echolocation - group report. In: Bullock TH (eds) Recognition of complex acoustic signals. Life Sciences Research Report 5. Dahlem Konferenz, Berlin, pp 239-277

Schnitzler HU (1974) Die Echoortung der Fledermäuse. In: Immelmann K (eds) Grizmeks Tierleben. Supplementband Ethologie. Kindler-Verlag AG, Zürich, pp 189-204

Schnitzler HU (1967) Discrimination of thin wires by flying horseshoe bats (Rhinolophidae). In: Busnel RG (eds) Animal Sonar Systems Vol. I Laboratoire de Physiologie acoustique. Jouy-en-Josas, pp 69-87

#### SONSTIGE SCHRIFTEN

Haffner J, Dietz C, Schnitzler HU, Denzinger A (2015) Das Echoortungsverhalten der Nymphenfledermaus *Myotis alcaethoe*. In: *Verbreitung und Ökologie der Nymphenfledermaus – Umweltspezial*. Bayerisches Landesamt für Umwelt (ed), Augsburg, pp 27-34.

Schnitzler HU, Denzinger A (2012) Nachruf auf Elisabeth Kalko 10.4.1962-29.6.2011. In: *Zoologie 2012 - Mitteilungen der Deutschen Zoologischen Gesellschaft*. Steinbrecht RA (ed). Basilisken-Presse, Rangsdorf, pp 65-68.

Denzinger A, Schnitzler HU (2012) Nachruf auf Björn Martin Siemers 25.5.1972 -23.5.2012. In: *Zoologie 2012 - Mitteilungen der Deutschen Zoologischen Gesellschaft*. Steinbrecht RA (ed). Basilisken-Presse, Rangsdorf, pp 73-77.

Schnitzler HU, Denzinger A (2010) „Ehrlichkeit“ in der akustischen Kommunikation bei Tieren. In: *Tarnen, Täuschen, Lügen*. Klosinski G (ed). Narr Francke Attempto Verlag, Tübingen, pp 205-211.

Schnitzler HU, Denzinger A (2008) Die Stimmen der Natur. In: *Das Phänomen Stimme: Natürliche Veranlagung und kulturelle Formung*. Geissner HK (ed). Röhrig Universitätsverlag, St. Ingbert, pp 33 -41.

Denzinger A (1997) Studierende mit Kind. Hohe Anforderung – wenig Förderung. In: *Attempto! Forum der Universität Tübingen* 3/97, pp 12-13

Denzinger, A (1995) Echoschalldruck und Dressurerfahrung beeinflussen die Entfernungsmessung bei der Fledermaus *Eptesicus fuscus*. Dissertation, Fakultät für Biologie, Universität Tübingen.

Denzinger, A (1990) Entfernungsmessung bei der Fledermaus *Eptesicus fuscus* in Abhängigkeit vom Schalldruckpegel der Echos. Diplomarbeit, Fakultät für Biologie, Universität Tübingen.