

Schriftenverzeichnis 1990 - 1999

307. M. Hanack and P. Vermehren
Phthalocyaninatoosmium(II) and Bisaxially Coordinated Phthalocyaninato-
osmium(II) Compounds.
Inorg. Chem. **1990**, *29*, 134
308. N. Fahmy and M. Hanack
Synthesis and characterization of μ -cyano-(octaethylporphyrinato)cobalt(III).
Recl. Trav. Chim. Pays-Bas **1990**, *109*, 235
309. M. Hanack, A. Hirsch, A. Lange, M. Rein, G. Renz and P. Vermehren
Bridged Macrocyclic Transition Metal Complexes, A New Type of Semiconducting
Materials.
Mat. Res. Soc. Symp. Proc., **1990**, Vol. 173, pp. 189-197
310. M. Hanack und G. Renz
9,10-Phenanthrenocyaninatoeisen(II) (PhcFe) und axial koordinierte Isocyanid-
Komplexe.
Chem. Ber. **1990**, *123*, 1105
311. A. Hirsch, M. Hanack
Bridged Mixed Valence Phthalocyaninato-Metal Compounds.
in: Conjugated Polymeric Materials: Opportunities in Electronics, Optoelectronics,
and Molecular Electronics, NATO ASI Series E, Vol. 182, pp. 163-169, J.L. Brédas
and R.R. Chance (Eds.), Kluwer Academic Publishers, Dordrecht, Niederlande, **1990**
312. R. Behnisch and M. Hanack
Cyclic Voltammetric and Electrocrystallization Studies of Axially Substituted
Biscyanophthalocyaninato Metal Complexes and Related Compounds.
Synth. Metals **1990**, *36*, 387
313. A. García Martínez, A. Herrera Fernandez, R. Martínez Alvarez, M.C. Silva Losada,
D. Molero Vilchez, L.R. Subramanian, M. Hanack
Sterically Hindered Bases. Synthesis of 2,4,6-Trisubstituted Pyrimidines.
Synthesis, **1990**, 881
314. M. Hanack, A. Gül, A. Hirsch, B.K. Mandal, L.R. Subramanian, E. Witke
Synthesis and Characterization of Soluble Phthalocyanines: Structure-Property
Relationship.
Mol. Cryst. Liq. Cryst., **1990**, *187*, 365

315. A. García Martínez, R. Martínez Alvarez, J. Osío Barcina, S. de la Moya Cerero, E. Teso Vilar, A. García Fraile, L.R. Subramanian, M. Hanack
A New Procedure for Formylation of Less Active Aromatic.
J. Chem. Soc., Chem. Commun. **1990**, 1571
316. M. Hanack und L.R. Subramanian
 λ^3 -Carbokationen.
Houben-Weyl, 4. Aufl., Bd. E-19c, S. 96, Georg Thieme Verlag, Stuttgart **1990**
317. M. Hanack, A. Hirsch und H. Lehmann
Lösliche oligomere verbrückte Phthalocyaninatoeisen(II)-Komplexe.
Angew. Chem. **1990**, *102*, 1499; Angew. Chem. Int. Ed. Engl. **1990**, *29*, 1467
318. H. Schultz, H. Lehmann, M. Rein, M. Hanack
Phthalocyaninatometal and Related Complexes with Special Electrical and Optical Properties in "Structure and Bonding 74", Springer-Verlag, Heidelberg, S. 41, **1991**
319. D. Markovitsi, M. Hanack, P. Vermehren
Triplet States of Oligomeric Axially Bridged Ruthenium Phthalocyanines.
J. Chem. Soc. Faraday Trans. **1991**, *87*, 455
320. M. Hanack, G. Hieber, G. Dewald, H. Ritter
Attempts to synthesize low gap aromatic polymers.
"Science and Applications of Conducting Polymers", Hilger, Bristol, S. 153, **1991**
321. T. Czekanski, M. Hanack, J.Y. Becker, J. Bernstein, S. Bittner, L. Kaufman-Orenstein and D. Peleg
Synthesis and Electrochemical Properties of Benzo[b]naphtho-[2,3-e][1,4]-dioxin-6,11-quinones and Their *N,N'*-Dicyano Quinone Diimine Derivatives.
J. Org. Chem. **1991**, *56*, 1569
322. M. Hanack, A. Hirsch, A. Lange, M. Rein, G. Renz and P. Vermehren
Bridged Macrocyclic Transition Metal Complexes, A New Type of Semiconducting Materials.
J. Mater. Res. **1991**, *6*, 385
323. H. Meier, W. Albrecht, M. Hanack
Correlations between Photoconductivity and Molecular Structure of Bridged Polymeric Phthalocyanines.
Mol. Cryst. Liq. Cryst. **1991**, *194*, 75
324. A. Hirsch und M. Hanack
Monomere und überbrückte oligomere (Tetrasulfophthalocyaninato)eisen(II)-Komplexe mit Isocyaniden und N-Donoren als axialen Liganden.
Chem. Ber. **1991**, *124*, 833

325. M. Mezger, M. Hanack, A. Hirsch, J. Kleinwächter, K.-M. Mangold und L. R. Subramanian
Bisaxial koordinierte (Tetraphenylporphinato)eisen(II)-Komplexe.
Chem. Ber. **1991**, *124*, 841

326. A. García Martínez, E. Teso Vilar, J. Coterón López, J. Manrique Alonso, M. Hanack, L.R. Subramanian
Synthesis of Bridgehead Derivatives; 2. Preparation of 1-Substituted Bicyclo[2.2.1]heptanes.
Synthesis **1991**, 353
327. K. Görler, G. Krumbiegel, M. Hanack, L.R. Subramanian
Methylendioxyphenanthren- und Stilbenderivate, Verfahren zur Herstellung derselben und Arzneimittel, die diese enthalten.
Patent Nr. 86 12129, Nr. 148 757, Nr. 673 457, Nr. 199 446
328. M. Hanack und G. Hieber
Heteroarylenmethine.
Patent Nr. Wa 8936-A
329. M. Hanack, G. Renz, J. Strähle, S. Schmid
Synthesis and Characterization of Substituted 1,2-Naphthalocyaninatoiron Compounds and Bisaxially Coordinated Isocyanide Complexes.
J. Org. Chem. **1991**, *56*, 3501
330. J. Hackenberg and M. Hanack
Synthesis and Thermal Reactions of Perfluoroalkanesulphonyl Substituted Ylides.
J. Chem. Soc., Chem. Commun. **1991**, 470
331. G. Hieber, M. Hanack, K. Wurst, J. Strähle
Methine-Bridged Five-Membered Heterocycles as Precursors for Low Gap Polymers.
Chem. Ber. **1991**, *124*, 1597
332. M. Hanack and Y.-G. Kang
Synthesis and Properties of (Phthalocyaninato)ruthenium(II) with Bisaxially Coordinated Azanaphthalenes.
Chem. Ber. **1991**, *124*, 1607
333. M. Hanack, G. Hieber, G. Dewald, H. Ritter
Polyarenemethylidines, A New Class of Low Gap Polymers.
Synth. Met. **1991**, *41-43*, 507
334. S. Hagen, S. Roth, M. Hanack
Synthesis of Donor-Acceptor Substituted Polyenes.
Synth. Met. **1991**, *41-43*, 1557

335. N. Martín, C. Seoane, J.L. Segura, J.L. Marco, M. Hanack
11,11,12,12-Tetracyano-2-azaanthraquinodimethane (TCAAO): A New Acceptor Molecule.
Synth. Met. **1991**, 41-43, 1873
336. M. Dreßen, M. Hanack, A. Hirsch, R. Thies
Studies of Electrical Conductivity in Axially Bridged Phthalocyanine Compounds.
Synth. Met. **1991**, 41-43, 2609
337. N. Fahmy, A. Leverenz, M. Hanack
Synthesis and Characterization of μ -Cyano(octaethylporphyrinato)cobalt(III).
Synth. Met. **1991**, 41-43, 2615
338. M. Hanack, A. Hirsch, S. Kamenzin, R. Thies, P. Vermehren
Soluble Bridged Phthalocyaninato Transition Metal Complexes.
Synth. Met. **1991**, 41-43, 2633
339. L.R. Subramanian, A. Gül, M. Hanack, B.K. Mandal, E. Witke
Synthesis and Properties of Soluble Octaalkoxy-substituted Phthalocyanines.
Synth. Met. **1991**, 41-43, 2669
340. R. Behnisch, A. Leverenz, K.-M. Mangold, M. Hanack
Cyclic Voltammetric and Electrocrystallization Studies of Biscyanophthalocyaninato Metal Complexes and Related Compounds.
Synth. Met. **1991**, 41-43, 2679
341. B. Speiser, A. Leverenz, M. Hanack
The Mechanism of Na[PcCo(CN)₂] Electrocrystallization - Analysis of Adsorption Phenomena by a Comparison of Simulated and Experimental Cyclic Voltammograms.
Synth. Met. **1991**, 41-43, 2979
342. M. Hanack und P. Vermehren
Lösliche bisaxial substituierte (Phthalocyaninato)ruthenium-Komplexe.
Chem. Ber. **1991**, 124, 1733
343. H. Naarmann, M. Hanack, A. Beck
Electrically Conductive Aromatic Polyamines.
Patent BASF AG, Nr. DE 3940731, **1991**
344. N. Martín, C. Seoane, and M. Hanack
Recent Advances in *o*-Quinodimethane Chemistry.
Organic Preparations and Procedures Int. **1991**, 23, 237

345. A. Rieker, B. Speiser, K.-M. Mangold, and M. Hanack
Potential Error Sources in Combined Electrochemistry/Neutron Detection
Experiments.
Z. Naturforsch. **1991**, *46b*, 1125
346. A. Beck, K.-M. Mangold und M. Hanack
Lösliche (Tetraethylphthalocyaninato)eisen(II)- und -cobalt(II)-Verbindungen.
Chem. Ber. **1991**, *124*, 2315
347. R. Rothermel und M. Hanack
Synthese von *cis*-konfigurierten Bis(trifluormethyl)pyrethroiden.
Liebigs Ann. Chem. **1991**, 1013
348. A. García Martínez, J. Osío Barcina, G. Hidalgo del Veccio, M. Hanack and L.R. Subramanian
Non-Hydrolytic Cleavage of Esters with Magnesium Iodide in Aprotic Non-Polar
Solvents.
Tetrahedron Lett. **1991**, *32*, 5931
349. M. Hanack, A. Lange and R. Großhans
Tetrazine-bridged phthalocyaninato-metal complexes as semiconducting material.
Synth. Met. **1991**, *45*, 59-70
350. M. Hanack, G. Bailer, J. Hackenberg, L.R. Subramanian
Synthesis and Reactions of Functionalized Perfluoroalkyl Sulfones.
Synthesis **1991**, 1205
351. M. Hanack und T. Czekanski
Electrically Conducting Organic Materials: Design, Synthesis and Characterization.
Lecture at the German-Israeli Cooperation Materials Research Status Seminar 1990
in Jülich,
13. - 14.2.1990 - 03 M 4013
352. H. Meier, W. Albrecht and M. Hanack
Photoconductivity of bridged polymeric phthalocyanines.
SPIE-Proceedings, Photopolymer Device Physics, Chemistry, and Applications II,
1991, *1559*, 89
353. M. Hanack und J. Ullmann
Conversion of trifluoromethyl groups into nitrile functions during cyclization of
hexafluoroiodoalkanes with sodium amide.
J. Fluorine Chem. **1991**, *55*, 249
354. A. García Martínez, E. Teso Vilar, J. Osío Barcina, J. Manrique Alonso,
E. Rodríguez Herrero, M. Hanack and L.R. Subramanian

Enantiospecific Synthesis of 3-substituted Alkylidene-cyclopentanes.
Tetrahedron Lett. **1992**, 33, 607

355. M. Hanack and H. Ryu
Synthesis and Spectral Properties of (μ -1,4-Diisocyanonaphthalene)-
phthalocyaninatoiron(II) and (μ -9,10-Diisocyananthracene)-phthalocyaninatoiron(II) Complexes.
Synth. Met. **1992**, 46, 113
356. M. Hanack, J. Osío Barcina, E. Witke, J. Pohmer
Easy Procedures for the Synthesis of Soluble 2,3,9,10,16,17,23,24-Octakis(pentyloxy)phthalocyanatoruthenium(II) and (Phthalocyaninato)ruthenium(II).
Synthesis **1992**, 211
357. A. García Martínez, A. Herrera Fernández, A. García Fraile, F. Moreno Jiménez,
L.R. Subramanian and M. Hanack
On the Mechanism of the Reaction between Ketones and Trifluoromethanesulfonic Anhydride. An Improved and Convenient Method for the Preparation of Pyrimidines and Condensed Pyrimidines.
J. Org. Chem. **1992**, 57, 1627
358. M. Hanack, A. Gül and L.R. Subramanian
Synthesis and Semiconducting Properties of Bridged (Phthalocyaninato)osmium Compounds with Bidentate N-Donor Ligands.
Inorg. Chem. **1992**, 31, 1542
359. A. Leverenz, B. Speiser and M. Hanack
Cyclic voltammetry of Na[PcCo(CN)₂]
Analysis of adsorption phenomena during electrooxidation.
J. Electroanal. Chem. **1992**, 323, 275
360. M. Hanack und R. Großhans
(Tetracyannaphthalocyaninato)eisen(II) mit Isocyaniden als axialen Liganden.
Chem. Ber. **1992**, 125, 1243
361. M. Hanack, G. Hieber, G. Dewald, K.-M. Mangold, H. Ritter, and U. Röhrig
Polyarenemethylidenes: A New Class of Low Gap Polymers.
in H. Kuzmany, M. Mehring, S. Roth (Hrsg.), Electronic Properties of Polymers, Springer Series in Solid-State Sciences, Band 107, Springer-Verlag, Berlin, Heidelberg, **1992**, S. 401

362. M. Hanack and Y.-G. Kang
Synthesis and Properties of Aromatic Amine-bridged PcRu(II) Coordination Compounds.
Synth. Met. **1992**, 48, 79
363. G. Dewald, M. Hanack, E.-M. Peters and L. Walz
Two crystal structures of 10,10'-(1,4-phenylenedimethylidene)-bis-9,10-H-anthracenone.
Zeitschr. f. Kristallographie **1992**, 200, 247
364. M. Hanack, S. Hayashida and R. Großhans
Tetrazine-bridged Phthalocyaninatometal Complexes: A New Class of Intrinsic Semi-Conductors.
Mol. Cryst. Liqu. Cryst. **1992**, 217, 197
365. K. Görler, G. Krumbiegel, M. Hanack und L.R. Subramanian
Methylendioxyphenanthren-Verbindungen, Verfahren zur Herstellung derselben und Arzneimittel, die diese enthalten.
Patent Madaus Nr. 35 30 718, Nr. 8603589-6, Nr. 4,835,178, Nr. 5,024,743 (1992)
366. M. Hanack, G. Hieber, K.-M. Mangold, H. Ritter, U. Röhrig
Polyarenemethylidenes, A New Class of Low Gap Polymers.
Mat. Res. Soc. Symp. Proc. **1992**, 247, 637
367. P. de la Cruz, N. Martín, F. Miguel, C. Seoane, A. Albert, F. H. Cano, A. Leverenz and M. Hanack
Syntheses, Electrochemical Properties and Crystal Structure of Tetracyano-*p*-quinodimethane (TCNQ) Derivatives with π -extended Systems Containing a Sulfur Atom.
Synth. Met. **1992**, 48, 59
368. M. Hanack und G. Hieber
Heteroarylenemethines and Polymers Prepared Therefrom.
US-Patent Wacker Nr. 5.136.049 (1992)
369. A. Grund, A. Kaltbeitzel, A. Mathy, R. Schwarz, C. Bubeck, P. Vermehren, M. Hanack
Resonant Nonlinear Optical Properties of Spin-Cast Films of Soluble Oligomeric Bridged Phthalocyaninoruthenium(II) Complexes.
J. Phys. Chem. **1992**, 96, 7450

370. N. Martín, J. A. Navarro, C. Seoane, A. Albert, F. H. Cano, J. Y. Becker, V. Khodorkovsky, E. Harlev, M. Hanack
Synthesis, Electrochemistry, and Crystal Structure of *N,N'*-Dicyanoquinonediimine (DCNQI) Derivatives Containing Fused Benzene Rings.
J. Org. Chem. **1992**, *57*, 5726
371. S. Hayashida and M. Hanack
Synthesis and Electrical Conductivity of Bridged Macrocyclic Manganese Complexes.
Synth. Met. **1992**, *52*, 241
372. A. García Martínez, A. Herrera Fernández, D. Molero Vilchez, M. Hanack, L.R. Subramanian
An Improved Synthesis of 5-Halopyrimidines: Reaction of α -Halo Ketones with Nitriles.
Synthesis **1992**, 1053
373. W. Maser, S. Roth, J. Anders, J. Reichenbach, M. Kaiser, H. Byrne, H. Schier, M. Filzmoser, E. Sohmen, J. Fink, P. Bernier, A. Zahab, H.-U. Siehl, M. Hanack
p-Type Doping of C₆₀ Films.
Synth. Met. **1992**, *51*, 103
374. T. Sonoda, A. García Martínez, M. Hanack, and L.R. Subramanian
On a New Mechanism of S-O Scission in the Solvolysis of Aryl Triflates.
Croatica Chem. Acta **1992**, *65*, 585
375. M. Hanack, D. Meng, A. Beck, M. Sommerauer and L.R. Subramanian
Separation of Structural Isomers of Tetra-*tert*-Butylphthalocyaninatonicel(II).
J. Chem. Soc., Chem. Commun. **1993**, 58
376. R. Martínez Alvarez, M. Hanack and L.R. Subramanian
Generation of Vinyl Cations by Nitrosation of *N*-Silylated Imines and Enamines.
J. Phys. Org. Chem. **1993**, *6*, 44
377. Th. Schmid, M. Hanack, C. Maichle und J. Strähle
Cyansulfine: Eine unerwartete Reaktion von *N,N*-Bis(trimethylsilyl)inaminen.
Angew. Chem. **1993**, *105*, 300
Angew. Chem. Int. Ed. Engl. **1993**, *32*, 258
378. M. Hanack, S. Knecht, and H.-J. Schulze
Synthesis of 1-Alkynyl(phthalocyaninato)iron(II) and -ruthenium(II) Complexes.
J. Organometallic Chem. **1993**, *445*, 157

379. M. Hanack, U. Keppeler, A. Lange, A. Hirsch, and R. Dieing
Mößbauer Spectroscopy of Phthalocyaninatometal Complexes.
in: Phthalocyanines, Properties and Applications, Vol. 2, p. 43; C. C. Leznoff and A.
B. P. Lever (Eds.); VCH Verlagsgesellschaft, Weinheim, **1993**
380. M. Hanack
Phthalocyanines as Important Structures for Materials Design.
"Chemistry of Functional Dyes", Mita Press, Osaka, vol. 2, p. 185 (**1993**)
381. M. Hanack, P. Haisch, H. Lehmann, L.R. Subramanian
Synthesis of Soluble Octasubstituted Phthalocyaninatoplatinum and -palladium
Complexes.
Synthesis **1993**, 387
382. H. Lindenberger, S. Roth and M. Hanack
Composites from Polypyrrole and Polyether/Polyester Thermoplastic Elastomer.
in H. Kuzmany, M. Mehring, S. Roth (Hrsg.), Electronic Properties of Polymers and
Related Compounds, Springer Series in Solid-State Sciences, Band 63, Springer-
Verlag, Berlin, Heidelberg, **1985**, S. 194
383. W. Göhring, S. Roth, M. Hanack
Synthesis of Polyenes with Electron Donor and Electron Acceptor Groups.
Synth. Met. **1987**, 17, 259
384. H. Lindenberger, D. Schäfer-Siebert, S. Roth, M. Hanack
Synthesis and Properties of Polypyrrole Prepared By Electrochemical Polymerization
of α -Bipyrrole.
Synth. Met. **1987**, 18, 37
385. Y. O. Shen, W. Göhring, S. Hagen, S. Roth, M. Hanack
NMR and Pariser-Parr-Pople Investigations of Donor-Acceptor Substituted Polyenes.
J. Mol. Electronics **1990**, 6, 31
386. D. Bloor, M. Hanack, A. Le Méhauté, J. P. Rabe, S. Roth, H. Sassabe
Molecular Electronic Prospects.
in: Conjugated Polymeric Materials: Opportunities in Electronics, Optoelectronics,
and Molecular Electronics, NATO ASI Series E, Vol. 182, pp. 587, J.L. Brédas and
R.R. Chance (Eds.), Kluwer Academic Publishers, Dordrecht, Niederlande, **1990**
387. S. Hagen, H. Schier, S. Roth, M. Hanack
Langmuir-Blodgett Films from Donor-Acceptor Substituted Polyenes.
in: Lower-Dimensional Systems and Molecular Electronics, NATO ASI Series B,
Vol. 248, pp. 531, R.M. Metzger, P. Day and G.C. Papavassiliou (Eds.), Plenum
Press, New York, USA, **1991**

388. M. Hanack, K. Habertho und M. Rack
Synthese und Charakterisierung von substituierten Nickelhemiporphyrinen.
Chem. Ber. **1993**, *126*, 1201
389. A. Beck und M. Hanack
Synthese von Tetravinylphthalocyanin.
Chem. Ber. **1993**, *126*, 1493
390. M. Hanack, U. Schmid, U. Röhrig, J.-M. Toussaint, C. Adant and J.-L. Brédas
1,3-Bis(2-thienylmethylene)-1*H*,3*H*-thieno[3,4-*c*]thiophene: A Precursor for a New
Low Band Gap Polymer.
Chem. Ber. **1993**, *126*, 1487
391. M. Hanack, R. Dieing, U. Röhrig
Synthesis and Characterization of Tetra(*tert*-butyl)-2,3-anthracenocyaninatoiron(II)
Compounds.
Chemistry Letters **1993**, 399
392. M. Hanack, U. Schmid, S. Echinger, F. Teichert, J. Hieber
Synthesis of Precursor Molecules for Low Band Gap Polymers.
Synthesis **1993**, 634
393. M. Hanack, G. Hieber, K.-M. Mangold, H. Ritter, U. Röhrig, U. Schmid
Polyarenemethylidenes, a New Class of Low Gap Polymers.
Synth. Met. **1993**, *55-57*, 827
394. M. Hanack, S. Knecht, E. Witke and P. Haisch
Synthesis and Properties of Soluble Metallophthalocyanines.
Synth. Met. **1993**, *55-57*, 873
395. H. Ritter, K.-M. Mangold, U. Röhrig, U. Schmid, M. Hanack
Synthesis of Methine-Bridged Thiophene Derivatives.
Synth. Met. **1993**, *55-57*, 1193
396. H. Meier, W. Albrecht, M. Hanack
Photoconductivity of Bridged Polymeric Phthalocyanines.
Mol. Cryst. Liq. Cryst. **1993**, *228*, 69
397. M. Hanack, G. Schmid und M. Sommerauer
Chromatographische Trennung der vier möglichen Strukturisomere eines
tetrasubstituierten Phthalocyanins: Tetrakis(2-ethylhexyloxy)phthalocyaninatonicke(II).
Angew. Chem. **1993**, *105*, 1540
Angew. Chem. Int. Ed. Engl. **1993**, *32*, 1422

398. U. Ziener, N. Fahmy and M. Hanack
Synthesis of μ -Cyano-(2,3-naphthalocyaninato)iron(III) and Comparison to μ -Cyano(phthalocyaninato)iron(III).
Chem. Ber. **1993**, *126*, 2559
399. A. Bulatov, S. Knecht, L. R. Subramanian, and M. Hanack
Soluble (Phthalocyaninato)ruthenium(II) Phosphane Complexes.
Chem. Ber. **1993**, *126*, 2565
400. M. Hanack, K.-M. Mangold, U. Röhrig and C. Maichle-Mössmer
Electrochemical oligomerization of arenemethylenes. Attempts to synthesize low band gap systems.
Synth. Met. **1993**, *60*, 199
401. R. Aldinger, M. Hanack, K.-H. Herrmann, A. Hirsch, and K. Kasper
STM Investigations on bridged macrocyclic metal complexes.
Synth. Met. **1993**, *60*, 265
402. Y. M. Shul'ga, A. V. Bulatov, and M. Hanack
X-ray photoelectron spectra of some polymeric cobalt phthalocyanines.
Synth. Met. **1993**, *55(1)*, 62-7
403. M. K. Engel, P. Bassoul, L. Bosio, H. Lehmann, M. Hanack, J. Simon
Mesomorphic Molecular Materials. Influence of Chain Length on the Properties of Octa-alkyl substituted Phthalocyanines.
Liquid Crystals **1993**, *15*, 709
404. D. Schmeißer, J. Pohmer, M. Hanack and W. Göpel
Modifications in the microscopic structure of Ru and Pb phthalocyanine films by intermolecular interactions.
Synth. Met. **1993**, *61*, 115
405. S. Echinger, U. Schmid, F. Teichert, J. Hieber, H. Ritter, M. Hanack
Attempts to Synthesize New Low Band Gap Polymers.
Synth. Met. **1993**, *61*, 163
406. M. Hanack, J. Osío Barcina, J. Pohmer, and E. Witke
Tetrazine-Bridged Phthalocyaninato Metal Complexes: A New Class of Intrinsic Semiconductors.
Polym. Prepr. **1993**, *34(1)*, 353
407. C. Feucht, T. Linßen und M. Hanack
Synthese dienophiler und enophiler Phthalocyanine.
Chem. Ber. **1994**, *127*, 113

408. M. Hanack, J. Hackenberg, O. Menke, L.R. Subramanian, R. Schlichenmaier
Capto-Dative Ethenylperfluoroalkyl Sulfones.
Synthesis **1994**, 249
409. M. Hanack
Conduction in Polymeric Macrocyclic Complexes.
Macromol. Symp. **1994**, 80, 83
410. M. Hanack, J. Osío Barcina, J. Pohmer, and E. Witke
Tetrazine-Bridged Phthalocyaninato Metal Complexes: A New Class of Intrinsic Semiconductors.
Mat. Res. Soc. Symp. Proc. **1994**, 328, 233
411. M. Hanack, J. Osío Barcina, J. Pohmer, and E. Witke
Bridged Phthalocyaninato Metal Complexes: A New Class of Intrinsic Semiconductors.
Polym. Prepr. **1994**, 35(1), 204
412. H. Naarmann, M. Hanack, R. Mattmer
A High Yield Easy Method for the Preparation of Alkoxy-substituted Triphenylenes.
Synthesis **1994**, 477
413. A. García Martínez, A. Herrera Fernández, R. Martínez Alvarez, J. Osío Barcina, E. Teso Vilar, A. García Fraile, L. R. Subramanian, R. Märkl and M. Hanack
Fragmentation of Vinyl Triflates by Electron Impact. Mechanism of an Unusual Double Hydrogen Atom Transfer Reaction.
Rapid Comm. Mass Spectrometry **1994**, 8, 427
414. M. Hanack
Synthesis of Low Band Gap Polymers - A Challenge for Organic Chemists.
Simposio Internacional "Nuevos Materiales Orgánicos", New Organic Materials, Universidad Complutense, Madrid 1994
415. M. Hanack and R. Polley
Synthesis of (2,3-Naphthalocyaninato)ruthenium(II) and Reactions with Bidentate Ligands.
Inorg. Chem. **1994**, 33, 3201
416. M. Rack und M. Hanack
Bandpolymere und -oligomere auf Hemiporphyrinbasis.
Angew. Chem. **1994**, 106, 1712
417. P. G. Schouten, J. M. Warman, M. P. de Haas, C. F. van Nostrum, G. H. Gelinck, R. J. M. Nolte, M. J. Copyn, J. W. Zwikker, M. K. Engel, M. Hanack, Y. H. Chang, and W. T. Ford

The Effect of Structural Modifications on Charge Migration in Mesomorphic Phthalocyanines.

J. Am. Chem. Soc. **1994**, *116*, 6880

418. U. Ziener and M. Hanack
Synthesis and Characterization of Nitrido(tetra-*tert*-butylphthalocyaninato)-rhenium(V) and Nitrido(phthalocyaninato)rhenium(V).
Chem. Ber. **1994**, *127*, 1681
419. T. G. Linßen and M. Hanack
Synthesis, Separation and Characterization of Unsymmetrically Substituted Phthalocyanines.
Chem. Ber. **1994**, *127*, 2051-2057
420. M. Hanack and M. Geyer
Synthesis and Separation of Structural Isomers of Tri-*tert*-butylsubphthalocyaninatophenylboron(III).
J. Chem. Soc., Chem. Commun. **1994**, 2253
421. M. Hanack and M. Lang
Conducting Stacked Metallophthalocyanines and Related Compounds.
Adv. Mater. **1994**, *6*, 819
422. O. Menke, E. Steinhuber, A. García Martínez, L. R. Subramanian, M. Hanack
Synthesis and Cycloaddition Reactions of Ethyl (*E*)-3-Aryl-2-(nona-fluorobutyl)sulfonyl-2-propenoates.
Synthesis **1994**, 1291
423. M. Hanack
Transition Metallophthalocyanines as Structures for Materials Design.
ACS Symposium Series 572, Washington **1994**, 472, Eds. P. Wisian-Neilson, H. R. Allcock, and K. J. Wynne, Inorganic and Organometallic Polymers II ACS Symposium Series 572, Washington **1994**, 472
424. S. Hayashida, M. Hanack
Electrical Conductivity of Bridged Macrocyclic Manganese Complexes.
"Chemistry of Functional Dyes", Mita Press, Tokyo, 300 (**1993**)
425. T. G. Linßen, K. Dürr, M. Hanack and A. Hirsch
A Green Fullerene: Synthesis and Electrochemistry of a Diels-Alder Adduct of [60]Fullerene with a Phthalocyanine.
J. Chem. Soc., Chem. Commun. **1995**, 103
426. J. Rauschnabel and M. Hanack
New Derivatives and Homologues of Subphthalocyanine.

Tetrahedron Lett. **1995**, 1629

427. D. H. Ruff, S. Fiedler and M. Hanack
Synthesis and Characterization of New Bis-dienophiles for Diels-Alder-Polymerization.
Synth. Met. **1995**, 69, 579
428. S. Echinger, U. Schmid, J. Hieber and M. Hanack
New Arenemethylenes for the Synthesis of Low Band Gap Polymers.
Synth. Met. **1995**, 69, 695
429. K. Haberoth, M. Rack, D. Ruff, M. Hanack
Synthese und Charakterisierung neuer Hemiporphyrizinato-Nickelkomplexe.
Chem. Ber. **1995**, 128, 417
430. M. Burghard, M. Schmelzer, S. Roth, P. Haisch and M. Hanack
Langmuir-Blodgett Film Formation of a Series of Peripherally Octasubstituted Metallophthalocyanines.
Langmuir **1994**, 10, 4265
431. R. Martínez Alvarez, M. Hanack, Th. Schmid and L.R. Subramanian
The Search for the Ethynyl Cation: Nitrosation of *N,N*-Bis(trimethylsilyl)-ynamines.
J. Phys. Org. Chem. **1995**, 8, 191
432. M. Hanack, K. Dürr, A. Lange, J. Osío Barcina, J. Pohmer and E. Witke
Synthesis of Low Band Gap Polymers - A Challenge for Organic Chemists.
Synth. Met. **1995**, 71, 2275
433. U. Ziener, K. Dürr and M. Hanack
Synthesis and Characterization of the First Soluble Phthalocyaninorhenium Complexes.
Synth. Met. **1995**, 71, 2285
434. O. Menke, A. García Martínez, L. R. Subramanian, M. Hanack
A Novel One-Step Synthesis of γ -Lactones from Olefins and Phenyliodonium(ethoxycarbonyl)nonafluorobutylsulfonylemethanide Catalyzed by Copper(II) Triflate.
Tetrahedron Lett. **1995**, 36, 4055
435. R. Dieing, G. Schmid, E. Witke, C. Feucht, M. Dreßen, J. Pohmer and M. Hanack
Soluble Substituted μ -Oxo(phthalocyaninato)iron(III) Dimers.
Chem. Ber. **1995**, 128, 589
436. H. Ryu, S. Knecht, L. R. Subramanian and M. Hanack

Synthesis and Properties of Bridged Phthalocyaninatoiron(II) Complexes with Bidentate Aliphatic Isocyanides.
Synth. Met. **1995**, 72, 289-296

437. G. Schmid, E. Witke, U. Schlick, S. Knecht and M. Hanack
Substituent Effects in Soluble Phthalocyaninatoiron(II) Complexes.
J. Mater. Chem. **1995**, 5, 855-859
438. M. Hanack, R. Polley, S. Knecht and U. Schlick
Reaction of Cyanogen with Cobalt Phthalocyanines.
Inorg. Chem. **1995**, 34, 3621
439. M. Burghard, C. M. Fischer, M. Schmelzer, S. Roth, P. Haisch, M. Hanack
Well-organized phthalocyanine Langmuir-Blodgett films incorporated into symmetrical (metal/thin organic film/metal) sandwich structures.
Synth. Met. **1994**, 67, 193-195
440. K.-D. Schierbaum, R. Zhou, S. Knecht, R. Dieing, M. Hanack, W. Göpel
The Interaction of Transition Metal Phthalocyanines with Organic Molecules: a Quartz Microbalance Study.
Sensors and Actuators **1995**, B 24-25, 69-71
441. M. Hanack, S. Knecht and R. Polley
Synthesis and Properties of (Tetra-*tert*-butylphthalocyaninato)ruthenium(II) and (Tetra-*tert*-butyl-2,3-naphthalocyaninato)ruthenium(II).
Chem. Ber. **1995**, 128, 929-933
442. A. Zlatkin, S. Yudin, J. Simon, M. Hanack and H. Lehmann
Direct Observation of the Stacked Structure in Substituted Copper Phthalocyanine LB Films with STM.
Advanced Materials for Optics and Electronics, Wiley **1995** vol. 5, p.000
443. A. García Martínez, A. Herrera Fernandez, D. Molero Vilchez, A. Herrera Ubeda, M. Hanack, L. R. Subramanian
Mecanismo de la Reaccion de Compuestos 1,3-Dicarbonilicos con Anhídrido Triflico. Ciclacion Anomala del Ester Acetilacetico a 3-Etoxicarbonil-2,6-dimetil-4-pirona.
Anales de Química **1995**, 91, 121-123
444. P. Haisch, S. Knecht, U. Schlick, L. R. Subramanian and M. Hanack
Soluble Octasubstituted (Phthalocyaninato) Metal Complexes.
Mol. Cryst. Liq. Cryst. **1995**, 270, 7-16

445. M. Hanack
Synthesis of Low Band Gap Polymers - A Challenge for Organic Chemists.
in: Materials Science Forum (eds. J. Przulski, S. Roth), **1995**, vol. 191, p. 13-20,
Trans Tech Publications
446. M. Hanack, M. Lang
Synthesis and Electrical Properties of Metallophthalocyanines and Related
Macrocycles.
Chemtracts **1995**, 8, 131-165
447. P. Haisch, M. Hanack
Synthesis of Unsymmetrically Octaalkoxy-Substituted Nickel, Palladium and
Platinum Phthalocyanines.
Synthesis **1995**, 1251
448. A. Sastre, T. Torres and M. Hanack
Synthesis of Novel Unsymmetrical Monoaminated Phthalocyanines.
Tetrahedron Lett. **1995**, 36, 8501
449. B. Hauschel, D. Ruff and M. Hanack
A Novel Route to Ladder-type Structures based on Hemiporphyrazines.
J. Chem. Soc., Chem. Commun. **1995**, 2449-2451
450. J. L. Segura, N. Martín, C. Seoane, M. Hanack
A Convenient Synthesis of Novel Soluble Annulated [1,4]dioxines and their
Electrochemical Properties.
Synth. Met. **1995**, 75, 249
451. M. Rack, B. Hauschel and M. Hanack
Nickel-Hemiporphyrazines as Bisdienes and Bisdienophiles: Synthesis and
Characterization.
Chem. Ber. **1996**, 129, 237
452. R. Polley and M. Hanack
Synthesis of Alkyl- and Alkyloxy-Substituted 2,3-Naphthalocyanines.
J. Org. Chem. **1995**, 60, 8278
453. L.R. Subramanian, A. García Martínez, M. Hanack
Methanesulfonic Acid.
Encyclopedia of Reagents for Organic Synthesis, Ed.: L. A. Paquette, John Wiley,
New York, **1995**, vol. 5, p. 3302-3304

454. L.R. Subramanian, A. García Martínez, M. Hanack
Nonafluorobutanesulfonyl Fluoride.
Encyclopedia of Reagents for Organic Synthesis, Ed.: L. A. Paquette, John Wiley,
New York, **1995**, vol. 6, p. 3780-3782
455. L.R. Subramanian, A. García Martínez, M. Hanack
Trifluoromethanesulfonic Acid.
Encyclopedia of Reagents for Organic Synthesis, Ed.: L. A. Paquette, John Wiley,
New York, **1995**, vol. 7, p. 5143-5146
456. A. García Martínez, L.R. Subramanian, M. Hanack
Trifluoromethanesulfonic Anhydride.
Encyclopedia of Reagents for Organic Synthesis, Ed.: L. A. Paquette, John Wiley,
New York, **1995**, vol. 7, p. 5146-5152
457. D. Guez, D. Markovitsi, M. Sommerauer, M. Hanack
Photophysical Properties of a Ruthenium(II) Phthalocyanine.
Chem. Phys. Lett. **1996**, 249, 309-313
458. R. Martínez Alvarez, A. Sánchez Vázquez, M. Hanack and L. R. Subramanian
Studies on the Nitrosation of *N*-Silylated Cyclopentenylamines.
J. Phys. Org. Chem. **1996**, 9, 227-233
459. M. Burghard, C. M. Fischer, S. Roth, U. Schlick, M. Hanack
Charge Transport in Ultrathin Langmuir-Blodgett Film Devices: HOMO-mediated
Tunneling?
Synth. Met. **1996**, 76, 241-244
460. G. Schmid, M. Sommerauer, M. Geyer and M. Hanack
Synthesis and Chromatographic Separation of Tetrasubstituted and Unsymmetrically
Substituted Phthalocyanines.
Phthalocyanines, Properties and Applications, Ed.: C. C. Leznoff and
A.B.P. Lever, VCH, Weinheim, 1996, vol. 4, p. 1-18
461. J. Pohmer, M. Hanack and J. Osío Barcina
Synthesis and Characterization of Novel Bridged Phthalocyaninoruthenium
Complexes.
J. Mater. Chem. **1996**, 6, 957-962
462. Y.-G. Kang, H. Kim, L. R. Subramanian, M. Hanack
Synthesis and Properties of Aromatic Amine-Bridged Phthalocyaninoruthenium(II)
Coordination Compounds.
Synth. Met. **1996**, 78, 11-18

463. D. Oelkrug, A. Tompert, H.-J. Egelhaaf, M. Hanack, E. Steinhuber, M. Hohloch, H. Meier, U. Stalmach
Towards Highly Luminescent Phenylene Vinylene Films.
E-MRS **1996** Spring Meeting, Session G-III.3
464. M. Hanack, B. Hauschel, P. Stihler, M Rack and T. Linßen
Ladder Polymers of High Stability with Macrocyclic Metal Complexes as Subunits.
Mat. Res. Soc. Symp. Proc., Materials Research Society, Boston, **1996**, vol. 413, p. 465-470
465. M. Hanack and S. Döttinger
Investigations on the Configuration of New Arenemethylenes for the Synthesis of Low Band Gap Polymers.
Synth. Met. **1996**, 79, 43-47
466. U. Drechsler, M. Hanack
Towards Semiconducting Polynuclear Bridged Complexes Incorporating Phthalocyanines.
Comprehensive Supramolecular Chemistry, Eds.: J.-P. Sauvage, M. Wais Hosseini, Pergamon Press, London, 1996, vol. 9, p. 283-311
467. M. Hanack, J. L. Segura and H. Spreitzer
New LEDs Based on Soluble Poly(2,6-Naphthylenevinylene).
Adv. Mater. **1996**, 8, 663-666
468. J. L. Segura, N. Martin, C. Seoane and M. Hanack
Synthesis and Electrochemistry of a Soluble Double-Bridged Tetrathiafulvalene (TTF)-*p*-benzoquinone from Novel Unsymmetrical TTFs
Tetrahedron Lett. **1996**, 37, 2503-2506
469. B. Hauschel, P. Stihler and M. Hanack
Ladder Polymers with Macrocyclic Metal Complexes as Subunits.
Trends Polym Science **1996**, 4, 348-354
470. M. Burghard, C. M. Fischer, M. Schmelzer, S. Roth, M. Hanack, W. Göpel
Perylene-Derivative Langmuir-Blodgett Films for Use as Ultrathin Charge-Transport Barriers.
Chem. Mater. **1995**, 7, 2104-2109
471. M. Hanack, S. Knecht, R. Polley and L. R. Subramanian
Axially 1,4-Diisocyanobenzene Bridged Substituted Iron(II)phthalocyanines and -2,3-naphthalocyanines.
Synth. Met. **1996**, 80, 183-189

472. M. Sommerauer, C. Rager and M. Hanack
Separation of 2(3),9(10),16(17),23(24)-Tetrasubstituted Phthalocyanines with Newly Developed HPLC Phases.
J. Am. Chem. Soc. **1996**, *118*, 10085-10093
473. S. Knecht, R. Polley and M. Hanack
Synthesis of Oligomeric Axially Bridged Ruthenium Phthalocyanines and 2,3-Naphthalocyanines.
Appl. Organomet. Chem. **1996**, *10*, 649-660
474. H. S. Nalwa, M. Engel, M. Hanack and H. Schultz
Third-order Nonlinear Optical Properties of Octa-substituted Metal-free Phthalocyanine Thin Films.
Appl. Organomet. Chem. **1996**, *10*, 661-664
475. M. Geyer, F. Plenzig, J. Rauschnabel, M. Hanack, B. del Rey, A. Sastre, T. Torres
Subphthalocyanines: Preparation, Reactivity and Physical Properties.
Synthesis **1996**, 1139-1151
476. M. Hanack, M. Lang and R. Polley
Stacked Transition Metal Macrocycles (Semiconductive Properties)
Polymeric Materials Encyclopedia, Ed.: J. C. Salamone, CRC Press, New York, 1996, vol. 10, p. 7858-7869
477. W. Eberhardt, M. Hanack
Synthesis of Hexadecaalkoxy-Substituted Nickel and Iron Phthalocyanines.
Synthesis **1997**, 95-100
478. M. Hanack and L. R. Subramanian
Electrically Conductive Metallophthalocyanines.
Handbook of Organic Conductive Molecules and Polymers, Ed.: H. S. Nalwa, Wiley, New York, 1997, vol. 1, p. 687-726
479. S. Döttinger, M. Hohloch, J. L. Segura, E. Steinhuber, M. Hanack, A. Tompert, D. Oelkrug
Chemical Tuning of the Electronic Properties of Differently Substituted 1,4-Bis-(styryl)benzenes, 2,6-Bis(styryl)naphthalenes, and Bis(thienylvinylene)benzenes and -naphthalenes.
Adv. Mater. **1997**, *9*, 233-236
480. P. Haisch, G. Winter, M. Hanack, L. Lürer, H.-J. Egelhaaf, D. Oelkrug
Soluble Alkyl and Alkoxy Substituted Titaniumoxo Phthalocyanines: Synthesis and Photoconductivity.
Adv. Mater. **1997**, *9*, 316-321

481. R. Polley, M. Hanack
(Phthalocyaninato)ruthenium(II) Quinoline/Isoquinoline Dichotomy: A Correction.
Synthesis **1997**, 295-296
482. J. Li, L. R. Subramanian and M. Hanack
Substituted α,β,γ -Triazatetrabenzcorrole: An Unusual Reduction Product of a
Phthalocyanine.
J. Chem. Soc., Chem. Commun. **1997**, 679-680
483. S. E. Döttinger, M. Hohloch, D. Hohnholz, J. L. Segura, E. Steinhuber, M. Hanack
Synthesis and Characterization of New Acceptor Substituted PPV Analogous Model
Compounds for the Preparation of Polymer LEDs
Synth. Met. **1997**, *84*, 267-268
484. M. Hohloch, J. L. Segura, S. E. Döttinger, D. Hohnholtz, E. Steinhuber, H. Spreitzer, M. Hanack
Design, Synthesis and Study of Photoluminescence and Electroluminescence of New
Poly(2,6-naphthylenevinylene) Derivatives.
Synth. Met. **1997**, *84*, 319-322
485. O. Fernández-Rodríguez, F. Fernández-Lázaro, B. Cabezón, M. Hanack and T. Torres
Iron- and Rutheniumtriazolehemiporphyrazines as Molecular Subunits for the
Preparation of Semiconducting Polymers.
Synth. Met. **1997**, *84*, 369-370
486. B. Hauschel, P. Stihler, M. Hanack
Diels-Alder Polymerization of a Macrocyclic Metal Complex with *p*-Benzoquinone.
Synth. Met. **1997**, *84*, 439-440
487. H.-J. Egelhaaf, L. Lürer, D. Oelkrug, G. Winter, P. Haisch and M. Hanack
Influence of Oxygen doping in the Photoconductivity of π -conjugated Molecules.
Synth. Met. **1997**, *84*, 897-898
488. P. Stihler, B. Hauschel, M. Hanack
Synthesis of a Bisdienophilic Phthalocyanine and of Precursors for Repetitive Diels-
Alder Reactions Based on Hemiporphyrazines and Phthalocyanines.
Chem. Ber. **1997**, *130*, 801-806

489. D. Oelkrug, A. Tompert, H.-J. Egelhaaf, M. Hanack, E. Steinhuber, M. Hohloch, H. Meier, U. Stalmach
Towards highly luminescent phenylene vinylene films.
Synth. Met. **1996**, *83*, 231-237
490. L. R. Subramanian and M. Hanack
Chiral Phosphanyldihydrooxazoles in Asymmetric Catalysis: Enantioselective Heck Reactions.
Chemtracts **1997**, *10*, 35-39
491. T. Keesmann, H. Große-Wilde, M. Hanack, H. Krempel, R. Mattmer
Cubic cage molecules containing phthalocyanine units.
Patent Nr. DE 19635058 A1 970403, **1997**
492. S. Rodríguez Morgade and M. Hanack
Synthesis, Separation and Characterization of the Structural Isomers of Octa-*tert*-butylphthalocyanines and Dienophilic Phthalocyanine Derivatives.
Chem. Eur. J. **1997**, *3*, 1042-1051
493. R. Polley, T. G. Linßen, P. Stihler and M. Hanack
Synthesis, Separation and Characterization of Naphtobenzo-condensed Porphyrinato Nickel(II) Complexes.
J. Porphyrins Phthalocyanines **1997**, *1*, 169-179
494. H. Ryu, Y.-G. Kang, S. Knecht, L. R. Subramanian, M. Hanack
Polymeric 2,3-Naphthalocyaninatoiron(II) Complexes with Bidentate Isocyanides as Intrinsic Semiconductors.
Synth. Met. **1997**, *87*, 69-73
495. M. Hanack, R. Polley, S. Deger
 μ -Cyano-2,3-Naphthalocyaninatocobalt(III).
Synth. Met. **1997**, *89*, 47-49
496. K. Dürr, S. Fiedler, T. Linßen, A. Hirsch and M. Hanack
Synthesis and Electrochemistry of Diels-Alder Adducts of [60]Fullerene with a Phthalocyanine and a Hemiporphyrzine.
Chem. Ber. **1997**, *130*, 1375-1378
497. O. Fernández-Rodríguez, F. Fernández-Lázaro, B. Cabezón, M. Hanack and T. Torres
Iron- and Rutheniumtriazolehemiporphyrzines as Molecular Subunits for the Preparation of Semiconducting Polymers.
Synth. Met. **1997**, *84*, 369-370

498. J. Kleinwächter and M. Hanack
Rotational Isomers in Stacked Macrocycles: Synthesis and Spectroscopic Properties of Peripherally Substituted (μ -Oxo)bis(phthalocyaninosilicon) Compounds.
J. Am. Chem. Soc. **1997**, *119*, 10684-10695
499. F. Henari, J. Callaghan, W. J. Blau, P. Haisch, M. Hanack
One-photon Resonant Optical Nonlinearity of Soluble Substituted Group IV Metallophthalocyanines.
Pure Appl. Opt. **1997**, *6*, 741-748
500. R. Polley, H. Heckmann and M. Hanack
Phthalocyanines and Related Compounds.
Houben-Weyl, 4. Aufl., Bd. E-9, S. 717-842, Georg Thieme Verlag, Stuttgart **1997**
501. M. Hanack, M. Hees, P. Stihler, G. Winter and L. R. Subramanian
Synthesis and Properties of Conducting Bridged Macrocyclic Metal Complexes
Handbook of Conducting Polymers, Hrsg. T.A. Skotheim, R. L. Elsenbaumer, J. R. Reynolds, S. 381-407, M. Dekker Inc., New York **1997**
502. H. Bertagnolli, A. Weber, W. Hörner, T. S. Ertel, U. Reinöhl, M. Hanack, M. Hees, R. Polley
Structural Investigations of Ruthenium Phthalocyanines with EXAFS Spectroscopy.
Inorg. Chem. **1997**, *36*, 6397-6400
503. U. Schlick, F. Teichert, M. Hanack
Electrochemical and Spectroelectrochemical Investigations of Small-bandgap π -Conjugated Polymers and their Precursors.
Synth. Met. **1998**, *92*, 75-85
504. M. González, B. Illescas, N. Martín, J. L. Segura, C. Seoane, and M. Hanack
Synthesis and Electrochemistry of Soluble Double-Bridged Tetrathiafulvalene (TTF)-*p*-benzoquinone Dyads.
Tetrahedron **1998**, *54*, 2853-2866
505. M. Hanack und H. Heckmann
Soluble Chloro- und Aryl(phthalocyaninato)indium(III) Complexes: Synthesis and Characterization.
Eur. J. Inorg. Chem. **1998**, 367-373
506. M. Hanack, M. Hees, E. Witke
Synthesis of Bridged Soluble Phthalocyaninoruthenium Complexes.
New J. Chem. **1998**, 169-172
507. E. Itoh, H. Kokubo, M. Iwamoto, M. Burghard, S. Roth and M. Hanack

Electrostatic Phenomena in π -conjugated Langmuir-Blodgett Films on Metal Electrodes.

Jpn. J. Appl. Phys. **1998**, *37*, 577-583

508. M. Hanack
Intrinsic Semiconducting Materials on Phthalocyanine Basis.
Tr. J. of Chemistry **1998**, *22*, 13-22
509. F. Fernández-Lázaro, T. Torres, B. Hauschel and M. Hanack
Hemiporphyrines as Targets for the Preparation of Molecular Materials: Synthesis and Physical Properties.
Chem. Rev. **1998**, *98*, 563-576
510. D. Oelkrug, A. Tompert, J. Gierschner, H.-J. Egelhaaf, M. Hanack, M. Hohloch, E. Steinhuber
Tuning of Fluorescence in Films and Nanoparticles of Oligophenylenevinylenes.
J. Phys. Chem. B **1998**, *102*, 1902-1907
511. M. Martin, S. Kaul, U. Drechsler, M. Geyer, R. Kurek, M. Hanack, S. Seeger, D. Wallwiener, J. M. Wolfrum
In vitro Phototoxicity of a new Phthalocyanine-immunoconjugate for Use in photodynamic Therapy.
SPIE-Proceedings, Photochemistry: Photodynamic Therapy and Other Modalities II **1998**, *2924*, 153-159
512. M. Hanack, P. Stihler
Macrocyclic Metal Complexes as Ladder Polymers.
Macromol. Symp. **1998**, *131*, 49-58
513. M. Hohloch, C. Maichle-Mössmer, and M. Hanack
Synthesis and Structural Studies of Poly(*p*-phenylenevinylene) Analogous Model Compounds.
Chem. Mater. **1998**, *10*, 1327-1332
514. F. Meghdadi, S. Tasch, W. Graupner, S. E. Döttinger, M. Hanack, M. Graupner, A. Hermetter, G. Leising
Electrical, Optical, and Magnetic Properties of Organic Solid-State Materials IV.
Mater. Res. Soc. Symp. Proc. **1998**, *488*, 27-32
515. P. A. Stuzhin, S. I. Vagin and M. Hanack
Synthesis and Spectral Properties of Bisaxially Coordinated (Octaphenyltetra-azaporphyrinato)ruthenium(II) Complexes.
Inorg. Chem. **1998**, *37*, 2655-2662
516. H.-D. Lehmann, W. Eberhardt, M. Hanack

Gas-separation by networks made from supramolecular complexes of metal phthalocyanines and a cellulose derivative.
J. Membrane Science **1998**, *147*, 49-57

517. U. Drechsler, M. Hanack
An Easy Route from Catechols to Phthalonitriles.
Synlett **1998**, 1207-1208
518. G. Winter, H. Heckmann, P. Haisch, W. Eberhardt, M. Hanack, L. Lürer,
H.-J. Egelhaaf and D. Oelkrug
Study of Substituent Effects on the Photoconductivity of Soluble 2,(3)- and 1,(4)-
Substituted Phthalocyaninato and Naphthalocyaninatotitanium(IV) Oxides.
J. Am. Chem. Soc. **1998**, *120*, 11663-11673
519. W. Eberhardt and M. Hanack
Synthesis of Hexadecaalkyl-Substituted Metal Phthalocyanines.
Synthesis **1998**, 1760-1764
520. J. Li, L. R. Subramanian and M. Hanack
Studies on Phosphorus Phthalocyanines and Triazatetrabenzcorroles.
Eur. J. Org. Chem. **1998**, 2759-2767
521. C. Rager, G. Schmid and M. Hanack
Influence of Substituents, Reaction Conditions and Central Metals on the Isomer
Distributions of 1(4)-Tetrasubstituted Phthalocyanines.
Chem. Eur. J. **1999**, *5*, 280-288
522. J. L. Segura, N. Martín, and M. Hanack
Oligo-2,6-naphthylenevinylenes – New Building Blocks for the Preparation of
Photoluminescent Polymeric Materials.
Eur. J. Org. Chem. **1999**, 643-651
523. B. Hauschel, R. Jung, M. Hanack
Synthesis and Diels-Alder Reactions of Some New Nickel (Phthalocyanine)nickel
Complexes.
Eur. J. Inorg. Chem. **1999**, 693-703
524. M. Hanack, M. Fiedler and L. R. Subramanian
Phthalocyaninatoiron Complexes with Tridentate Ligands.
Synth. Met. **1999**, *100*, 123-130

525. K. Dürr and M. Hanack
Synthesis and Properties of Tetrakis(trimethylsilyl)phthalocyaninato-ruthenium(II).
J. Porphyrins Phthalocyanines **1999**, 3, 224-229
526. S. Knecht, K. Dürr, G. Schmid, L. R. Subramanian and M. Hanack
Synthesis and Properties of Soluble Phthalocyaninatomanganese(III) Complexes.
J. Porphyrins Phthalocyanines **1999**, 3, 292-298
527. R. Jung, K.-H. Schweikart, M. Hanack
Synthesis of an Oligo(phenylenevinylene)-Bridged Phthalocyanine Dimer.
Eur. J. Org. Chem. **1999**, 1687-1691
528. D. Hohnholz, K.-H. Schweikart and M. Hanack
A Simple Method for the Subdivision of ITO Glass Substrates.
Adv. Mater. **1999**, 11, 646-649
529. R. Jung, M. Hanack
Preparation and Diels-Alder Reactions of new Nickel Phthalocyanines.
Synth. Met. **1999**, 102, 1526
530. F. Henari, A. Davey, W. Blau, P. Haisch and M. Hanack
The Electronic and Non-linear Optical Properties of Oxo-titanium Phthalocyanines.
J. Porphyrins Phthalocyanines **1999**, 3, 331-338
531. M. Ottmar, D. Hohnholz, A. Wedel, M. Hanack
Organic Single- and Double-Layer Electroluminescent Devices based on Substituted Phthalocyanines.
Synth. Met. **1999**, 105, 145-149
532. K. Frick, U. Ziener and M. Hanack
Synthesis and Investigations on Nitrido(phthalocyaninato)rhenium Complexes.
Eur. J. Inorg. Chem. **1999**, 1309-1313
533. M. Hanack
Application of Phthalocyanines in Materials Sciences.
IV. Escuela Nacional de Materiales Moleculares, Madrid, 6.-13.6.1999 Proceedings
534. D. Hohnholz, A. Wedel, M. Hanack
Studies on Electroluminescent 3,3'-substituted Biphenyls.
Synth. Met. **1999**, 101, 626
535. F. Lange, D. Hohnholz, M. Leuze, H. Ryu, M. Hohloch, R. Freudenmann,
M. Hanack
Structural Influences on Luminescence Properties of substituted PPVs and Model Compounds.

Synth. Met. **1999**, *101*, 652-653

536. C. Fietzek, K. Bodenhöfer, M. Hees, P. Haisch, M. Hanack, W. Göpel
Highly sensitive gas phase VOC-detection with soluble phthalocyanines.
Euroensors XII, Proc. 12th Eur. Conf. Solid-State Transducers
9th UK Conf. Sens. **1998**, *1*, 201-204
537. P. A. Stuzhin, U. Schlick, S. I. Vagin, M. Hanack
Spectral electrochemical study of extracomplexes of Ru(II) octaphenyltetraaza-
porphine with pyridine and pyrazine.
Russ. J. Electrochem. **1999**, *35*, 445-451
538. H. S. Nalwa, M. K. Engel, M. Hanack and G. Powlasky
Third-order optical properties of trans-1,6,11,16-tetra(*t*-butyl)porpyrazine
germanium thin films.
Applied Physics Letters **1997**, *71*, 2070-2072
539. H. S. Nalwa, M. Hanack, G. Powlasky and M. K. Engel
Third-order nonlinear optical properties of porphyrazine, phthalocyanine and
naphthalocyanine germanium derivatives: demonstrating the effect of π -conjugated
length on third-order optical nonlinearity of two-dimensional molecules.
Chemical Physics **1999**, *245*, 17-26
540. S. I. Vagin, P. A. Stuzhin, M. Hanack
Monomeric and Oligomeric Extra(sic) Complexes of Fe(II) Octaphenyl-
porphyrazines with Pyrazine and Isocyanides.
Russ. J. Gen. Chem. **1999**, *69*, 308-313
541. C. Fietzek, K. Bodenhöfer, P. Haisch, M. Hees, M. Hanack, S. Steinbrecher, F. Zhou,
E. Plies, W. Göpel
Soluble Phthalocyanines as Coatings for Quartz-Microbalances: Specific and
Unspecific Sorption of Volatile Organic Compounds.
Sensors and Actuators B *57*, **1999**, 88-98
542. U. Drechsler, M. Pfaff and M. Hanack
Synthesis of Novel Functionalised Zinc Phthalocyanines Applicable in
Photodynamic Therapy.
Eur. J. Org. Chem. **1999**, 3441-3453